



State of New Jersey

DEPARTMENT OF EDUCATION

PO Box 500

TRENTON, NJ 08625-0500

PHILIP D. MURPHY
Governor

SHEILA Y. OLIVER
Lt. Governor

ANGELICA ALLEN-McMILLAN, Ed.D.
Acting Commissioner

October 26, 2022

Carmella Confessore, Director/Owner
Harrison Learning Center (051), Hudson County
620 Essex Street
Harrison, NJ 07029

via email

Re: Exemption from Testing for Lead in School Drinking Water

Dear Mrs. Confessore,

The New Jersey Department of Education (NJDOE) received your application for Exemption from the lead testing requirements for the statewide testing year of July 1, 2021 through June 30, 2022. In accordance with N.J.A.C. 6A:26-12.4(j) Safe Drinking Water in Schools, entities may request an exemption from the lead testing requirements if they can demonstrate that they do not use any drinking water outlets for consumption or food preparation in any of their facilities.

Based on the review of your application, the NJDOE grants Harrison Learning Center (051), Harrison, Hudson County an exemption request from lead testing. Pursuant to the regulations, this approval letter shall be made available for public inspection at all facilities for which the exemption is granted and on the entity's website. The entity must reapply for an exemption or begin lead testing every statewide testing year, the next being in the 2024-2025 school year.

For more information regarding Testing for Lead in School Drinking Water, visit NJDOE's website at <https://www.nj.gov/education/lead/>. For questions or concerns, email the NJDOE at leadtesting@doe.nj.gov.

Sincerely,

A handwritten signature in black ink that reads "Susan Kutner".

Susan Kutner
Director, Office of School Facilities Planning

SK/bs

c: Melissa Pearce, Executive County Superintendent – Hudson County
John Gomez, Executive County School Business Official – Hudson County